1N-63-711 91527 P-31

MoCog1: A Computer Simulation of Recognition-Primed Human Decision Making

WILLIAM GEVARTER

AI RESEARCH BRANCH, MAIL STOP 244-17
NASA AMES RESEARCH CENTER
MOFFETT FIELD, CA 94035

(NASA-TM-107672) MOCOGI: A COMPUTER SIMULATION OF RECOGNITION-PRIMED HUMAN DECISION MAKING (NASA) 31 p

N92-26888

Unclas G3/63 0091527

NASA Ames Research Center

Artificial Intelligence Research Branch

Technical Report FIA-91-23

August 1991

en de la companya de

•

MoCog1: A COMPUTER SIMULATION OF RECOGNITION-PRIMED HUMAN DECISION MAKING

William B. Gevarter Artificial Intelligence Research NASA Ames Research Center Moffett Field, CA 94035

Abstract

This report describes the successful results of the first stage of a research effort to develop a "sophisticated" computer model of human cognitive behavior. Most human decision-making is of the experience-based, relatively straight-forward, largely automatic, type of response to internal goals and drives, utilizing cues and opportunities perceived from the current environment. This report describes the development of the architecture and computer program associated with such "recognition-primed" decision-making. The resultant computer program was successfully utilized as a vehicle to simulate Dweck and Leggett's findings that relate how an individual's implicit theories orient them toward particular goals, with resultant cognitions, affects and behavior in response to their environment. The present work is an expanded version of NASA TM 102886 and is based on research reported while the author was an employee of NASA ARC.

Introduction

The approaching era of manned space stations and space exploration carries with it the promise of advanced automation featuring intelligent computer programs and machines. If such systems are to achieve a truly symbiotic relation with humans, Polson (1987) and Connors (1989) indicate that these systems will require sophisticated modeling of their human partners. As a step toward achieving the long term goal of developing a sophisticated computer model of human decision making, the initial aim of our research effort at NASA has been to develop a computer model of human cognition and decision making that focuses on the impact of affects. The ability to simulate actual psychological observations with the resultant system is one measure of the success of the effort.

We define "motivated cognition" as the process that emphasizes the role of affects in human cognition and decision making. These affects appear to be a major contributor to the distinctly different manner of human decision making from the more rational approaches generally considered in

artificial intelligence. To date there has been a dearth of computer programs emphasizing the role of affects, though Colby (1973), Thagard and Kunda (1987), Woods, et. al (1987), O'Rorke et. al (1989), and Sanders (1989) have all made contributions in this direction. DAYDREAMER (Mueller, 1990) is the most sophisticated such program thus far developed. Pfeifer (1988) recently reviewed artificial intelligence computer models of emotion.

As there does not appear to be a universally accepted definition of "affects," we will follow the lead of Buck (1988) and define affects as the motivational system underlying emotion. In this framework, emotions are interpreted as the readout process (self-awareness and outward expression) carrying information about motivation.

Relevance to NASA

The relevance of this research to NASA can be partially gleaned from the following quotes from Polson (1987, pp. 177-178, 195):

NASA has articulated a very ambitious design philosophy for expert systems to be used on the Space Station calling for the development of cooperative human-computer problem-solving systems....Some of the issues are:

- o vigilance of the human operator
- o safe transition from the automatic to manual modes of operation
- o successful completion of a task after the automatic system has failed
- o allocations of functions between man and machine
- o and the development of truly symbiotic human-computer problem solving systems.

...powerful problem solvers can be developed if systems exploit the complimentary strengths of human and machine permitting one to compensate for the weaknesses of the other...A cooperative system must incorporate an extremely sophisticated model of its human partner which in turn requires a detailed understanding of how humans carry out the specific task performed by the system as well as the general characteristics of the human processing system and its failure modes....In summary, the design and development of cooperative, human-computer problem solving is the most difficult of the technological goals related to cognitive science associated with the Space Station.

The need for such sophisticated human-modeling can be expected to become even more important as long-range space mission are considered (cf. Kanas, 1990).

Approach

In this report we limit our model to the type of relatively automatic singlepass decision-making outlined in Gevarter (1991). This automatic, basically nonanalytic, decision making in response to environmental factors is very common in humans, particularly when they are under stress. Klein (1989) has termed this "recognition-primed decisions." Though, it is not necessary to emphasize it for this type of response, the ultimate decisionmaker in humans (cf. Gevarter, 1975) is the structure provided by the combination of innate motivations and those programmed into the human subconscious during the human growth and and maturation process. Associated with these motivations are emotional charges which tend to direct our thoughts and behaviors. Mueller's (1990) computer program, DAYDREAMER, is a good initial approach to an artificial intelligence program that simulates the resultant response. The focus of his program is emotionally-based control of the human "train of thought." This type of process -- which controls how the mind recalls associated information and moves its focus of attention about as it attends to the current situation -- is the subject of our follow-on report and its accompanying simulation (MoCog2). MoCog2 is being designed to handle much more complex thought and decision processes than the single-pass recognition-primed decision making described in the current report.

Pursuant to the long term goal of developing a sophisticated model of humans, the aim of our initial research has been to develop a computer model of human decision making that focuses on the impact of affects. Thus, for the first phase described in this report, the rational portion of the decision making has been kept simple.

Our plan has been to first develop in diagrammatic form the human decision making approach from the perspective of information processing in the human brain (cf. Baron, 1987, and Paritsis, 1987), and to couple that with a synthesis of the current psychological theories in motivated cognition (cf. Landy and Becker, 1985; Abelson, 1988; Buck, 1988, and Dweck and Leggett, 1988). The resultant composite can serve as an initial framework for developing computer programs demonstrating diverse theories and experiments in motivated cognition. In the process, the central framework will be iteratively refined and a more general computer program evolved.

It is important to note that at this stage of our knowledge, much of what is discussed in this paper should be treated as hypotheses rather than fact. However, if based upon these hypotheses our resultant computer models show adequate predictability and explanation capability when applied to existing studies and future experiments, then our purposes will have been served.

Deriving a Model from Brain Research

In our approach we have found useful the three level perspective of brain processing drawn from MacLean (1975). In its evolution the human brain has expanded along the lines of three basic patterns (a triune brain) which can be viewed as reptilian, paleomammalian (old mammal brain), and neomammalian (new mammal brain). The reptilian brain is associated with instinctive programming, the paleomammalian brain (which includes the limbic system) is associated with emotional programming derived from experience and socialization, while the neomammalian brain is cognitive, being associated with holistic perception, abstract thought and language.

Affects are the motivational systems most commonly associated with emotions. From emotions, arise subjective experience and expressive behavior (and autonomic physiological response). Humans appear to be born with (or with the potential for) basic affect characteristics. Basic affects are associated with the lower levels of brain development, particularly the limbic system.

Figure 1 is a simplified flow diagram of what might be considered basic inborn human responses to internal bodily states. Figure 2 illustrates our view of some of the affects encountered as one moves from the lower levels to the higher levels of the brain, though several of these affects are not available until later in the maturation process.

Based on the preceding, and Baron's (1987) treatise, we have augmented the elementary flow diagram of Fig. 1 for motivated cognition to include the higher levels of the brain as indicated in Fig. 3. The affect patterns referred to in our diagram can be considered to be vectors of affects indicating their degree of activation.

An individual responds to the world based not only on the current event but also on the individual's internal physiological and mental states. Thus, both of the lower two paths shown in Fig. 3 provide inputs to the brain's decision making mechanism. But before elaborating on these paths and the

resultant decision making, let us briefly review some of the fundamental aspects of brain functioning on which our approach is based (cf. Baron, 1987, Gevarter, 1982).

Baron (1987) and others suggest that the brain stores all experiences to which the individual pays conscious attention. In addition, Restak (1988, p. 264) concludes that "First, information can be incorporated into the mind without access to conscious awareness. Secondly, conscious intention cannot modify certain aspects of cognition." Restak (1988, p. 243) also observes that "...such memories are 'stored,' but in most instances they cannot consciously be voluntarily recollected."

In the brain, stored along with each experience are the affects that were present at the initiation of the experience and those that resulted from the experience. The affect patterns thus associated with the pre-conditions and post-conditions of the experience are accessible during future interactions. Thus, when an event is perceived it is automatically compared with the store of past events and depending upon similarity conditions (Baron, p. 57), the associated affect patterns are activated. Thus the brain automatically renders a judgement on the degree to which this event is "for me or against me."

With this view, we can now follow the lower path in Fig. 3. Attributes of an event are observed by the sensory system, and the resulting sensory signals are compared to stored visual, auditory and other sense experiences. These then elicit past situations and associated affect patterns which had similar patterns of sensory signals. This results in the current situation being perceived in terms of similar past situations and their associated affect patterns. The resulting inputs to the stored events yield a perceived event. The perceived event and its associated affect pattern may then activate associated ideas, concepts, and their stored affect patterns. These serve as a prediction of the consequence of the current event and its resultant affect pattern.

Following the middle path of Figure 3, receptors sense the body's internal physiological state and the individual's current mental state, resulting in activation of the associated affect centers. This activation is combined with the activation induced by the affect patterns from the perceptions associated with the bottom path. The combined result is a current emotional state, or affect pattern (indicated in the top path of the figure).

We view a "need" as the difference between this current or predicted) affect state and the optimal affect state (defined in a manner similar to that

used by Baron, pp. 468-470). "Goals" can be viewed as the things that if achieved will satisfy needs. "Procedures" are actions or strategies to achieve goals.

The current affect state and the expected affect states resulting from the current event act as inputs to the brain's control mechanism, which generates needs and goals to move the anticipated resultant affect state to a more desirable condition. These needs and the current context elicit applicable stored procedures. (This is in keeping with Sharkey and Bower's [1987] findings indicating that goals and plans are stored in memory as associative structures.) The predicted results and affiliated affect patterns (associated with the various applicable procedures) are then fed to the decision making mechanism. This mechanism then seeks to select procedures that would produce the most desirable overall satisfaction of the generated needs, considering the weights or priorities given each affect and their current degree of activation.

Many elements of our approach are consistent with Buck's (1988) conceptual model of motivation and resultant emotional responses. In Buck's model, the process begins with an internal or external stimulus. This stimulus is evaluatively filtered by the biological motivational "primes" and relevant learning experienced by the individual. "The latter may be classically conditioned associations as well as direct or vicarious social learning experiences about the stimulus situation and the individual's social role in that particular situation....Thus, the impact of a particular stimulus for a given person is determined by (1) the state of arousal of the neural system in question, and (2) the individual's relevant learning experiences associated with that stimulus" (pp. 26-27).

Simplifications Used in Developing MoCog1

To develop MoCog1 (our initial version of the computer program), several simplifications were made.

- 1. As data on the day-to-day variations in the internal affect state indicated by the middle path of Fig. 3 is often not available, this path has not been simulated. Instead it has been approximated by assigning initial values to the individual's relatively stable base (normal) affects such as self-image, happiness, and self esteem.
- 2. Affect levels are taken to range linearly from -9 to 9 (from very negative to very positive) or from -9 to 0 or 0 to 9, as appropriate.

- 3. As a first approximation, the value of the total affect state has simply been taken as the sum of the individual affect states.
- 4. Affects have not been prioritized.
- 5. Due to the lack of actual data, the vectors of incremental affect values that procedures can be expected to produce are chosen subjectively.
- 6. In addition to the task preconditions, only the salient needs (those above a critical level) are considered necessary to access applicable procedures.

With these simplifications, Fig. 3 reduces to Fig. 4 for simulating an individual's response to a task.

Characterizing the Individuals

A significant computer program mirroring human behavior must be able to simulate real psychological experiments and observations. However, if an individual's response is based not only on the stimuli, but upon the individual's inherent nature and upon his/her's life experiences, then programming an individual's response (in general) means that these, or some attribute set or schema that meaningfully summarizes them, have to be entered into the program. One approach has been to try to characterize people by personality types with attributes such as introvert and extrovert. Dweck and Leggett (1988) have instead tried to build a system based on the individual's world view. We have used their work as a first test of our framework.

Dweck and Leggett (1988) suggest that human behavior is very much influenced by how one views the world [a result of the world's responses to one's past behavior]. In particular, they focus on two views: (1) things in the world being malleable and therefore subject to control and change, and (2) things being relatively fixed and therefore relatively uncontrollable. If we categorize something important to us as being uncontrollable, then our relationship to it is to monitor, measure or judge its attributes. Whereas, if we view something important to us as controllable, then our response tends to be to act on or develop it -- to understand and improve it. Table 1 indicates the cognitions, behaviors, and affects associated with these two views.

Dweck and Leggett observe that behavior is situation dependent and is aimed at maximizing the composite positive affect (or minimizing the negative affect) resulting from trying to balance the multiple goals in

response to the demands of the situation. This is consistent with Figure 3 where the approach is to optimize a complex affect pattern.

Dweck and Leggett imply that their theory is applicable to many domains, such as intelligence, social, moral, physical skills and even physical attractiveness. Their theory is supported by observations of upper-level grade-school children called upon to do intellectual tasks. Stemming from the child's view of the world as either being fixed or malleable, the child either has a performance orientation or goal (i.e., to be judged) or a learning orientation or goal. Table 2 indicates this relationship. Based on Dweck and Leggett's report, Table 3 is our depiction of the relationships between (1) the students' general goal, their intelligence, and the task difficulty, and (2) the resultant observed students' behaviors (strategies), and reports by the students of their affects and cognitions. (Dweck and Leggett's findings of observed behavior tend to be in line with the coping strategies reported by Folkman, Lazarus, Gruen & Delongis, [1986] for adult subjects).

The parameters associated with Dweck and Leggett's characterization of students and tests in a testing situation are:

- 1. General Goal: performance, learning
- 2. Intelligence: high, low
- 3. Test Difficulty: high, low, very high (beyond the capabilities of any student)

As Dweck and Leggett's report was an English language description, it was necessary to make many assumptions to transform their non-numerical data into a computer program. As an initial characterization of the student, the student's normal (base level) affect attributes of self image, happiness and self esteem were subjectively assigned on a scale of -9 to 9 to vary from

self image = 7

happiness = 7

self esteem = 6

for a high intelligence learning-oriented individual to

self image = 3

happiness = 3

self esteem = 2

for a low intelligence performance-oriented individual.

Self image is defined as "the self as the individual pictures or imagines it to be. The self image may differ widely from the true self," (Chapman, 1975, p. 478). "Self esteem is a positive attitude towards oneself and one's behavior. Quite often it is a lasting personal disposition, but the self evaluation may shift depending on one's environment," (Wolman, 1989, p. 309).

The Computer Program

MoCog1, the computer program we devised to simulate Dweck and Leggett's student responses to intellectual tasks, consists primarily of heuristic PROLOG rules* to calculate responses from input data at each input-output module shown in the flow diagram in Fig. 4.

Task Difficulty

Task difficulty was calculated as the students' perceptual responses to attributes of the tests based on the students' past experiences. Thus task difficulty of the various tests was calculated as a function of the subject, number of pages, and test duration.

Task Low-level Affect Consequences

The primary low-level task affects of anxiety, pleasure and boredom associated with perceived task difficulty were subjectively chosen as a function of task difficulty, student intelligence, and the student goal of performance or learning.

Mid-level Anticipated Success or Failure Response

More consistent with the brain and as a more universal generalization, the modules can be programmed as neural net or connectionist networks. (cf. McGregor, 1987):

* More consistent with the nature of the brain and as a more universal generalization, the modules can be programmed as neural nets or connectionist networks (cf. McGregor,

1987).

The predicted mid-level cognitive response for the performance-oriented students was chosen as success for students whose ability (intelligence) was equal or greater than that required by the test; failure for those students whose capabilities were inadequate for the test. All the learning-oriented students anticipated success.

Mid-level Affect Response

The mid-level affect response (of pride, shame, and self-image increment) to the anticipated event outcome was computed as a function of the low-level affects, the student's general goal of learning or performance, the student's intelligence, and the student's perceived difficulty.

Predicted Outcome

The predicted outcome for all the students with a general goal of learning was taken as "learned." The performance-oriented students' predicted outcome was "judged positively" for those that anticipated success, and "judged negatively" for those who anticipated failure.

Predicted Outcome Affects

The high level affect response -- of happiness and self esteem increments -- associated with the students' view of the anticipated outcome was subjectively chosen as (1) high level affect increments of +1 each if the anticipated outcome was learned or judged positively; or (2) happiness reduced by 3, and self esteem by 1, if outcome was judged negatively.

Needs

The overall affect pattern was simply the vector constructed by appending the base and low and mid level affects to the high level affects. The need list was constructed by subtracting the resultant affect vector from the ideal affect vector. Relevant needs were then taken to be all elements of the need list that exceeded a value of 3. (3 appeared to be a good dividing point based upon the simulation results.)

Procedures

Procedures are the learned techniques accessible to the students to contend with their current situation (considering their needs and the context). The procedure chosen for execution is the procedure that maximizes the resultant affect total.

Results Obtained Using MoCog1 with Dweck and Leggett's Data

Figure 5 is a printout of a trace of an interaction between a computer user and the MoCog1 program as applied to Dweck and Leggett's data. Following step by step through this interaction will help illuminate our simulation.

Based on the Dweck and Leggett data and the present model, Jan (considered in Figure 5) is a construct of the high intelligence, learningoriented type of individual. Figures 6 is a projection onto Figure 4 of the computer simulation of Jan's response to a difficult test. Based on the test's attributes of subject, length, etc., Jan perceives the example math test as being of high difficulty. Associated with this difficulty, Jan's previous experiences cause Jan to experience some anxiety, but also the pleasure of impending challenge. At the next level, experience with this degree of difficulty, causes Jan to anticipate a successful outcome, resulting in an associated mid-level affect pattern of pride and bolstered self image. Based on feelings (and automatic perceptions) associated with the event, Jan views the test as a likely successful learning experience, and experiences a feeling of increased happiness and self esteem. The relatively diminutive level of needs resulting from Jan's composite affect pattern facilitates access to Jan's rational capabilities (procedures). Thus, high persistence and self mastery are open to Jan, and the automatic choice of maximum need satisfaction results in Jan exhibiting self mastery. The resultant affect total shown in the simulation flow diagram (Figure 6), is the result of assuming that the affect effects of a procedure can be simply vectorially added to the existing overall affect structure and then totaled by linearly adding up the resultant components.

Rob is a construct of the low intelligence, performance-oriented individual. Based on its attributes, Rob perceives the history test as being difficult. As shown in Figures 7 and 8, Rob's past experience with difficult tests results in a low level affect response of anxiety, negative pleasure, and boredom with another frustrating task. Sensing the task difficulty results in a midlevel response of expected failure with associated shame and decreased self image. Based on the feelings and insights resulting from the event, Rob's view of the outcome is that Rob will again be judged negatively with resultant loss of happiness and self esteem. Rob's high level of needs opens up a whole range of defensive response strategies that can be used to reduce the stress. Self aggrandizement, with its associated rebuilding of self image and self esteem, appears to be the most optimal. This is consistent with Dweck and Leggett's data that some two thirds of the performance-oriented

students engaged in self-aggrandizement or diversionary behavior. (Note: Rob's response to a test of very high difficulty [not shown] results in such an emotional upset that, in our simulation, Rob has access to only one procedure — ineffective strategies.)

Table 4 lists the author's subjective assumptions of the effects on need reduction of the procedures utilized in the computer runs for these two examples. Comparable procedure effects have been employed for the other computer runs, which cover the full range of categories covered by Dweck and Leggett's results. It should be noted that the impact on affects of applying various procedures can be expected to be somewhat student specific, which coupled with their idiosyncratic backgrounds and the day-to-day variations in students' affect levels, would help to account for the various procedural choices observed in Dweck and Leggett's study for the same situations.

Discussion

To obtain a computer simulation of human responses to situations it is evident that it is necessary to:

- 1. Characterize the individual using such attributes as intelligence, personality, views, belief systems. As well as Dweck and Leggett's approach, other possibilities include Jung's Personality Typology with associated responsive strategies, and Woods et. al (1987) typology of problem solvers.
- 2. Develop transformations based on the individual's characterization, that take the sensory input and develop perceptions of situations, events and concepts, and their associated affect patterns.
- 3. Provide procedures or strategies (and their affect consequences) that the individual is likely to be able to access via needs (associated with the composite affect state), and the context.

For simulating Dweck and Leggett's theory, we were guided by their observations in choosing such things as applicable procedures, and used our simulations to highlight how affects select from among the reachable procedures. Obviously more work is needed to succinctly characterize individuals and their available procedures as a function of generic contexts.

In the process of constructing this simulation, the central result found was that with relatively straightforward assumptions, it is possible to represent

and manipulate affect structures and resultant behavior to provide a reasonable simulation of affective behavior associated with recognition-primed human decision making. To develop a computer program given the lack of numerical data, a great many assumptions had to be made. These subjective assumptions were chosen to be as consistent as possible to likely real data, had it been available. The basic agreement of this computer simulation with Dweck and Leggett's findings (see starred procedures in Table 3) obtained by the simple subjective assignment of attributes (with virtually no tuning) to the various individual types, is an indication that our normal views of individual characteristics may be in good agreement with reality for studies of this type. It also suggests that relatively simple computer programs may provide adequate simulations of many studies. An interactive version of our simulation, providing examples that cover the full range of categories in Dweck and Leggett's findings, has been packaged on a DOS diskette and is available for study.

The numerous assumptions that we made to construct our computer simulation, provide a good indication of some of the research required. First, it is necessary to get a better representation of the affect structure (perhaps pursuing the taxonomy suggested by Ortony, et al., 1988). This should include what affects play a major role in cognition and behavior, their relative priority, and how they should be combined in obtaining an overall indication of need level. Further, though in our simulation the chosen range (from -9 to 9, negative to positive) of each affect was considered to be linear with limit cutoffs, it is more likely that these ranges are nonlinear, perhaps approximating a sigmoid shape similar to that employed by Colby (1973). Thus in generating the overall total need level, or the effects of procedures, appropriate nonlinear weighting functions need to be found.

In the MoCog1 simulation of Dweck and Leggett's findings, the effect of day-to-day individual variations in internal psychological and mental states (represented by the middle path in Figure 3), has been omitted. Again it is likely that these affects are not simply additive with those from the lower path, but interact in a nonlinear fashion. This may be particularly true when such factors as general arousal level are considered. In addition, initial affects may not only influence procedural choice, but may color initial perceptions as well (an effect not currently included in Figure 3).

Conclusions

In this report we have reviewed our development of a conceptual architecture for recognition-primed human decision making and our

efforts at programming Dweck and Leggett's findings as an example based upon it. The work to date has demonstrated that there is no fundamental gap in translating Dweck and Leggett's theory into a consistent computer program. Our work also illustrates that it is possible to develop computer programs incorporating affects that show promise of being consistent both with our current knowledge of information processing in the brain and actual psychological findings. Further, the nature of such simulations not only provide new ways of thinking about human mental and behavioral aspects, but strongly points the way to needed research.

References

Baron, Robert J., The Cerebral Computer: An Introduction to the Computational Structure of the Human Brain, Laurence Erlbaum Associates, Hillsdale, NJ, 1987.

Buck, Ross, Human Motivation and Emotion, Second Edition, Wiley, New York, 1988.

Chaplin, J. P., Dictionary of Psychology, Dell, New York, 1975.

Colby, Kenneth M., "Simulations of Belief Systems," In Computer Models of Thought and Language, Roger C. Shank and Kenneth M. Colby (Eds.), W. H. Freeman, San Francisco, 1973, pp. 251-286.

Connors, Mary, "Crew Systems Dynamics: Combining Humans and Automation," SAE Technical Paper Series 89150, 19th Intersociety Conference on Environmental Systems, San Diego, CA, July 24-26, 1989.

Dweck, C. S. and Leggett, E. L., "A Social-Cognitive Approach to Motivation and Personality," *Psychological Review*, Vol. 95, No. 2, 1988, pp. 256-273.

Gevarter, William B., "Humans: Their Brain and their Freedom," J. Humanistic Psychology, Vol. 15., No. 4, Fall 1975, pp. 79-90.

Gevarter, William B., "Psychotherapy and the Brain," Man-Environment Systems, Vol. 12, Nos. 2&3, 1982, pp. 73-88.

Gevarter, William B., Simulating Motivated Cognition, NASA Technical Memorandum 102886, February 1991.

Kanas, Nick, "Psychological, Psychiatric, and Interpersonal Aspects of Long-Duration Space Missions," J. Spacecraft, Vol. 27, No. 5, 1990, pp. 457-463.

Klein, Gary, "Recognition-Primed Decision," Advances in Man-Machine Systems Research, Vol. 5, W. R. Rouse (Ed.), 1989.

Landy, Frank J. & Becker, Wendy S., Final Report: Adaptive Motivation Theory, Report Final 85-1, PA State U., Dept. of Psychology, University Park, PA, June 1985.

McGregor, Robert J., Neural and Brain Modeling, Academic Press, New York, 1987.

Mueller, Erik T, Daydreaming in Humans and Machines, Ablex, Norwood, NJ, 1990.

O'Rorke, Paul; Cain, Timothy; and Ortony, Andrew, "Learning to Recognize Plans Involving Affect," *Proc. of the Sixth International Workshop on Machine Learning*, June 26-27, 1989, Ithaca, NY, pp. 209-212.

Ortony, Andrew; Clore, Gerald L.; and Collins, Allan, The Cognitive Structure of Emotions, Cambridge University Press, New York, 1988.

Paritsis, Nicholas C., "Man as a Hierarchical and Purposeful Intelligent System," Systems Research, Vol. 4, No. 3, 1987, pp. 169-176.

Pfeifer, Rolf, "Artificial Intelligence Models of Emotion," Cognitive Perspectives on Emotion and Motivation, V. Hamilton, N. Frijda, and G. Bower, eds., Kluver Academic Publishers, Boston, 1988, pp. 287-320.

Polson, Peter G., "Cognitive Factors in the Design and Development of Software in the Space Station," *Proc. of Symposium on Human Factors in Automated and Robotic Space Systems*, Committee on Human Factors, Commission on Behavioral and Social Sciences and Education, National Research Council, Washington, DC, 1987, pp. 176-200.

Restak, Richard M., The Mind, Bantam Books, Toronto, 1988.

Sanders, Kathryn E., "A Logic for Emotion: A Basis for Reasoning About Commonsense Psychological Knowledge," *Proc. of the 11th Annual Conference of the Cognitive Science Society*, Ann Arbor, MI, August 16-19, 1989, pp. 357-363.

Sharkey, Noel E.; and Bower, Gordon H., "A Model of Memory Organization for Interacting Goals, *Modeling Cognition*, P. Morris, ed., Wiley, New York, 1987, pp. 231-248.

Thagard, P., and Kunda, Z., "Hot Cognition: Mechanisms for Motivated Inference," Proceedings of the 9th Annual Conference of Cognitive Science, 1987, pp. 752-763.

Wolman, Benjamin B., Dictionary of Behavioral Sciences, Academic Press, New York, 1989.

Woods, D. D.; Roth, E. M.; and Pople, Jr., H., Cognitive Environment Simulation: An Artificial Intelligence System for Human Performance Assessment, Vol. 2, Modelling Human Intention Formation, NUREG/CR-4862, Westinghouse Electric Corporation, Pittsburg, PA, November, 1987.

Table 1

Effect of Perceptions of Controllability

CATERGORIZATION	GENERAL RESPONSE	AFFECT	COGNITION	BEHAVIOR
UNCONTROLLABLE	Judgemental	Evaluative	Rigid oversimplified thinking	Low initiation of and persistence toward change
CONTROLLABLE	Developmental	Empathetic	Process analysis, Sensativity to situational factors	Mastery-oriented goal pursuit

Table 2

Relationship of Students' Goals to World View

WORLD VIEW	GENERAL GOAL	GOAL ORIENTATION
FIXED ENTITY	Performance (Cognitive judgement)	Maximize positive judgements and pride in ability, while minimizing negative judgements, anxiety and shame
MALLEABLE	Learning (Competence enhancement)	Maximize growth of ability and pride and pleasure of mastery

Table 3. Relationship of students' behaviors in tests to the students' general goals

General goal	Perceived own	Task difficulty	Resultant affects	Goal	Students* cognitions	Observed behaviors
Performance (cognitive indenent)	High intelligence [Fran]	H.	Pride	Seek positive judgment Maintain and increase self-esteem	Success expected	Mastery oriental* High persistence
	-	Low	Boredom	Seek positive judgment if available	Success expected	Persistence Task avoidance
		Very high	Anxiety	Avoid negative judgment	Failure expected	Defensive withdrawal of effort
			Boredorn		Attribute failure to personal inadequacy	Self-aggrandizement
			Shame		Loss of belief in efficacy of effort	Incliective strategies
			Depression		Divided attention	Low persistence
			Reduced		Distike of task	Task avoidance
			self-esteem			Devalue task and evidence boredom
	Low intelligence	Very high	Anxiety	Avoid acgaive judgment	Failure expected	Defensive withdrawal of effort
	Robj		Boredom		Attribute failure to personal inadequacy	Self-aggrandizement
			Shame		Loss of belief in efficacy of effort	ineffective strategies
			Depression		Divided altention	Low persistence
			Keduced self-esteem		District of last	I ask avoidance Devalue task and evidence boredom
		High	Anxiety	Avoid aceative indement	Failure expected	Defensive withdrawal of effort
		•	Boredom		Attribute failure to personal inadequacy	Self-aggrandizement
			Shame		Loss of belief in efficacy of effort	Ineffective strategies
			Depression		Divided attention	Low persistence
			Reduced		Dislike of task	Task avoidance
			self-esteem			Devalue task and evidence boredom
		Low	Pride	Seek positive judgment	Success expected	Mastery oriented
						High persistence
Learning	High intelligence	High	Pleasure	Seek learning experience	Success expected	Self mastery (effective problem solving strategies)
(competence	[ver]		Pride		See task as a challenge to be maxtered through effort	High persistence
		Low	Boredom	Seek better use of time	Seen as an unproductive use of time	Task avoidance
						Effort leading to success
		Very high	Pleasure	Seek very satisfying learning experience	Opportunity for more satisfying self mastery	Revised or upgraded strategy
			Pride		Current failure but future success	Solution-oriented self-instruction, self-monitoring
					Continuing belief in efficacy of effor	and self mastery
•	Low intelligence	Very high	Picasure	Seek very satisfying learning experience	Opportunity for more satisfying self mastery	Revised or upgraded strategy
	<u>F</u>		Pride		Current failure but future success	Solution-oriented self-instruction, self-monitoring
					Continuing belief in efficacy of effort	and self mastery
•		High	Pleasure	Seek very satisfying learning experience	Opportunity for more satisfying self mastery	Revised or upgraded strategy
-			Prik		Current failure but future success	Solution-oriented self-instruction, self-monitoring
					Continuing belief in efficacy of effort	and self mastery
		Š	Pleasure	Seek learning experience	Success expected	Self mastery
			Pride		See task as a challenge to be maxiered	High persistence
	· -				through effort	
	Behavior selected by our simulation.	by our simulation.				

TABLE 4

EFFECT OF CHOICE OF PROCEDURE ON AFFECT PATTERN INCREMENT

BITUATION	PROCEDURE	ANGETY	PLEABURE	BOPEDOM	PROE	SHAME	BELF MAGE	HAPPINE 88	BELF ESTEEM
Porformance-oriented	ineffective Strategies	7	-	0	1-	-5	7	7	7
low intelligence		-	-	-	-	-	7	0	7
Individual faced	Task Avoidance	2 +	7	+1	-	-	0	7	Ö
with bloh difficulty	Self Aggrandizement	4	-	0	-	7	7	0	-
test Rob	Taak Devaluement	7	Ŧ	-	+	+1	0	+1	0
Learning-oriented high intelligence individual faced with high difficulty lest — Jan	Self Mastery High Pereletance	2 ∓	€ 2	°+ 0	7	00	+ +	= =	==




FIG. 1

ELEMENTARY PREPROGRAMMED RESPONSES




FIG. 2
TENTATIVE AFFECT LEVEL STRUCTURE

RECOGNIZED ASSERTION & ASSOCIATE
HIGH LEVEL AFFECT PATTERN PREDICTED
LONG TERM

EVENTS 4
ASSOCIATED

AFFECT PATTERNS SEIF-ESTEEM ASSERTION WALLES ACTIVATING HIGHLEVEL AFFECT PATTERNS CHRENT SITUATION AND PREDICTED STRUCTORS STORED IDEAS,
CONCEPTS,
THEMES, 4
ASSOCIATED
AFFECT PATTERNS HIGH LEVEL NETTERS STORE HIGH LEVEL AFFECT PATTERNS EMOTIONAL STATE)
OVERALL
WFECT STRUCTURE MOLENEL PERCEIVED EVENTS
AND ASSOCIATED
AFFECT PATTERNS ACTIVATING
MOLEVEL
AFFECT
PATTERNS AFFECT STORE PPECTACUTIONS) PRECONDITIONS SITUATIONS BELLEF IN BORGATO STORED EVENTS

A ASSOCIATED

AFFECT PATTERNS ATECT -PURPOSIVE SYSTEM PRUPPER NTTECT COVEDS AFFECT PERCENED SITUATIONS, PACIAL FEATURES, ETC.,— AND ASSOCIATED AFFECT PATTERNS ACTIVATING AFFECT PATTERNS RESULTS & ASSOCIATED AFECT PATTERNS BTORED VISUAL

4 AUDTORY


EXPENDINGS

4 ASSOCIATED

AFFECT PATTERNS THAT PRODUCE A FUTURE THAT OPTIMIZES AFFECT PATTERNS CONSIDERING THE PLANS CERTANITY MBACHY STORES PLAN AND PRECIED AFFECT SENEORY SENGORY SENGORS SENSORS REMUTTY MCTUN, RESILIS
NO ASSOCIATIO
MFECT PATEN PHYSICLOGICAL & ASSERTIONS EVENTS

5 1 x 176 3

FLOW DIAGRAM FOR RECOGNITION-PRIMED HUMAN DECISION MAKING F.9. 3



OF AN INDIVIDUAL'S RESPONSE TO A TASK SIMPLIFIED FLOW DIAGRAM

SIMULATION OF A LEARNING-ORIENTED, HIGH INTELLIGENCE STUDENT'S RESPONSE TO A TEST OF HIGH DIFFICULTY

dlob which student are you interested in? (fram., rob., jam., pat.)

Be sure to include the period, and do a carriage return after your selection.

Jan.

jan. of nigh intelligence,
has a general goal of learning
a normal mid level affect of self image = 7
and a normal high level affect pattern of
happiness = 7 and self esteem = 6, on a scale of -9 to 9.

Which test are you considering?
(test1., test2., test3., test4., test5.)
test1.

Based on its attributes, the difficulty of this math test is perceived by jan to be high

CONTINUE? (yes., no.)

Perceiving this test produces in jan a low level affect response of: anxiety = -2, on a scale of -9 to 0 pleasure = 5, on a scale of -9 to 9 boredom = 0, on a scale of -9 to 0

CONTINUE? (yes., no.) yes.

Sensing the task difficulty results in jan having a feeling of expected success and an associated mid level affect response of pride = 5, on a scale of 0 to 9 sname = 0, on a scale of -9 to 0 self image = 8, on a scale of -9 to 9

CONTINUE? (yes., no.) yes.

Based on feelings associated with the event, jans view of the expected outcome is "learned" leading to an

Overall affect pattern = [-2,5,0,5,0,8,8,7]

= [Anxiety, Pleasure, Boredom, Pride, Shame, Self_Image_New, Happiness_New, Self_Esteem_New]

and an associated Need_List = [2,4,0,4,0,1,1,2] which is the difference between the ideal state and jans current overall affect pattern

CONTINUE? (yes., no.)


Based on the preconditions of the task and the relevant needs, the following procedures are available to jan

--- computing ---

procedure1 = high_persistance, Resultant affect total = 39
procedure2 = self_mastery, Resultant affect total = 44

Selected procedure is self_mastery

If you want to try the program again, type "dldb."



PROJECTION ONTO FIG.4 OF A SIMULATION OF A LEARNING-ORIENTED, HIGH INTELLIGENCE STUDENT'S RESPONSE TO A TEST OF HIGH DIFFICULTY

```
Which student are you interested in?
                      (fram., rob., jam., pat.)
  Be sure to include the period.
  and do a carriage return after your selection.
rob. of low intelligence.
 has a general goal of performance
a normal mid level affect of self image = 3
 and a normal high level affect pattern of happiness = 3 and self esteem = 2, on a scale of -9 to 9.
Which test are you considering?
                      (test1., test2., test3., test4., test5.)
test2.
Based on its attributes, the difficulty of this
history test is perceived by rob to be high
CONTINUET (yes., no.)
TOS.
Perceiving this test produces in rob
a low level affect response of:
 anxiety = -4, on a scale of -9 to 0 pleasure = -2, on a scale of -9 to 9 boredom = -3, on a scale of -9 to 0
CONTINUE? (yes., no.)
 Sensing the task difficulty results in rob
having a feeling of expected failure
 and an associated mid level affect response of
 pride = 0, on a scale of 0 to 9
shame = -4, on a scale of -9 to 0
self image = 2, on a scale of -9 to 9
 CONTINUE? (yes., no.)
705.
Based on feelings associated with the event, robs view of the expected outcome is "judged_negatively" leading to an
 Overall affect pattern = [-4, -2, -3, 0, -4, 2, 0, 1]
                                = [Anxiety, Pleasure, Boredom,
Pride, Shame, Self_Image_New,
Happiness_New, Self_Esteem_New)
 and an associated Need_List = [4,11,3,9,4,7,9.8] which is the difference between the ideal state and robs current overall affect pattern
 CONTINUE? (yes., po.)
 795.
 Based on the preconditions of the task and the relevant needs, the following procedures are available to rob
             --- computing ---
 procedurel = ineffective_strategies. Resultant arrect total = -9
Resultant affect total = -9
                                                     Resultant affect total = -18
 procedure3 = task_avoidance, Resultant affect total = -5
                                      Resultant affect total = -2
Resultant affect total = -6
 procedure4 = self_aggrandizement.
  procedure5 = devalue_task,
               Selected procedure is self_aggrandizement
```

Figure 7. Trace of a user interaction with a computer simulation of a performance-oriented, low-intelligence individual's response to a test of high difficulty.




Figure 8, Projection onto figure of a simulation of a performance-oriented, low-intelligence individual's response to a test of high difficulty.

REPORT DOCUMENTATION PAGE

OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data source, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, vA. 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC. 20503. 2 REPORT DATE Dates attached 3. REPORT TYPE AND DATES COVERED 1. AGENCY USE ONLY (Leave blank) 5. FUNDING NUMBERS 4. TITLE AND SUBTITLE Titles/Authors - Attached 6. AUTHOR(S) 8. PERFORMING ORGANIZATION REPORT NUMBER 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Code FIA - Artificial Intelligence Research Branch Attached Information Sciences Division 10. SPONSORING / MONITORING 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AGENCY REPORT NUMBER Nasa/Ames Research Center Moffett Field, CA. 94035-1000 11. SUPPLEMENTARY NOTES 12b. DISTRIBUTION CODE 12a. DISTRIBUTION / AVAILABILITY STATEMENT Available for Public Distribution 5/14/92 BRANCH CHIEF 13. ABSTRACT (Maximum 200 words) Abstracts ATTACHED 15. NUMBER OF PAGES 14. SUBJECT TERMS 16. PRICE CODE

OF REPORT

17. SECURITY CLASSIFICATION

20. LIMITATION OF ABSTRACT

19. SECURITY CLASSIFICATION

OF ABSTRACT

SECURITY CLASSIFICATION

OF THIS PAGE